



Havoline® Fully Synthetic SAE 5W-40

Passenger Car Motor Oil

Product Data Sheet



Customer benefits

Preserves and protects engines

Proven metallo-organic anti-wear additive system protects engines under all operating conditions by providing excellent wear control in even the most sophisticated valve train mechanisms, including those with variable valve timing. Low viscosity, multigrade, formulation provides additional protection reduces internal engine friction. Enhanced corrosion protection ensures compatibility with gasoline/ethanol blended fuels up to and including E85.

Maintains high power and performance

Works immediately upon contact with an engine's moving parts to create a protective coating that shields the engine against the deposits that lead to loss of performance. Provides excellent control of piston and ring deposits under high temperature conditions. Special friction modifiers assist in reducing internal engine friction for maximum fuel economy.

Saves on maintenance costs

High thermal stability and excellent oxidation resistance provides outstanding protection against in-service oil degradation that contributes to filter blocking and sludge formation in the oil galleries, crankcase and valve train.

Reduces fuel consumption

Specifically tailored viscosity characteristics and effective friction modifier minimize internal engine frictional losses.

Lower oil consumption

Low volatility, hydro-cracked base oil minimizes oil loss through evaporation.

Applications

- Specially designed for high performance gasoline and diesel engines in passenger cars, in particular those of European designs.
- Suitable for use in naturally aspirated and turbocharged diesel in passenger cars and light trucks where ACEA A3/B4 is required.
- Naturally aspirated, turbocharged gasoline engines in passenger cars where API SN or earlier API "S" performance categories are specified.
- Light truck gasoline engines where API SN or earlier API "S" performance categories are specified.

Product features:

- **Havoline® Fully Synthetic SAE 5W-40** is a multi-grade gasoline engine oil for use in passenger car and light truck engines requiring low viscosity, ACEA A3/B4 specifications, and stringent OEM requirements for engine protection and performance under severe driving conditions.
- **Havoline® Fully Synthetic SAE 5W-40** is an advanced detergent formula viscosity control to maintain engine power and preserve fuel economy.
- **Havoline® with Deposit Shield™** is formulated with 100% synthetic base stocks, in combination with advanced additives and VI improvers to provide durable, long life engine protection.
- **Havoline® with Deposit Shield™** is formulated with Deposit Shield™ to provide outstanding thermal and shear stability protection for cleaner, smoother-running engines.

Typical key properties

HAVOLINE® FULLY SYNTHETIC	
SAE Grade	5W-40
Product Code	502900
Base No., D2896, mg KOH/g	10.8
Phosphorus, m%	0.11
Sulfated Ash, m %	1.4
Viscosity, mm ² /s @ 100°C	14.4
Viscosity Index	172
Zinc, m%	0.122

Minor variations in product typical test data are to be expected in normal manufacturing.

2211

Performance standards

- VW 502 00 / 505 00 (Approved)
- RN 0700 / 0710 (Approved)

Meets the requirements of :

- ACEA A3/B4
- API SN
- Daimler MB 229.3
- Porsche A40
- PSA Peugeot Citroen B71 2296

ENVIRONMENT, HEALTH and SAFETY

Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit www.chevronlubricants.com.

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended.

Produced by:
Chevron Global Lubricants
– Asia Pacific